

## Hitachi CP-AX2505



3/4 View  
(with cable cover)



Front View (without cable cover)



Top View (with cable cover)



Wall Mounted  
(with cable cover)

Price: € 750,00+ ΦΠΑ 24%

**SKU:** CPAX2505

**Product Categories:** [Βιντεοπροβολείς](#)

**Product Page:** <http://globitech.gr/κατάστημα/projectors/hitachi-cp-ax2504/>

### Product Summary

Hitachi 2505

Τεχνικά χαρακτηριστικά

Κατασκευαστής

HITACHI

Κατηγορία

Ultra Short Throw

Μοντέλο

2505

Τεχνολογία

LCD

Ανάλυση

XGA (1024 X 768)

Αντίθεση

10.000 : 1

Φωτεινότητα

2700 Ansi Lumens

Format

4:3

Βάση τοίχου

ΝΑΙ

Εγγύηση προβολικού

3 Χρόνια

Εγγύηση λάμπας

3 Χρόνια

Τεχνικό Φυλλάδιο



Product Description  
**HITACHI**  
Inspire the Next

## ΤΕΧΝΙΚΑ ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ

- OPTICAL LCD panel 0.63" aspect ratio 4:3 Resolution XGA (1024 x 768)  
Brightness 2700 Lumens (Normal) / 2214 Lumens (Eco1) / 1809 Lumens (Eco2)  
Contrast ratio 10000:1 Lens Powered focus, digital zoom x 1.35 Lamp wattage  
225W Lamp life\* 5000 hours (Normal) / 8000 hours (Eco1) / 10000 (Eco2)  
Diagonal display size 60~100" (152~254cm) Keystone correction Fixed 7.7:-1  
upward shift Distance to width ratio (:1) 0.3 Number of colours 16.7 million  
COMPATIBILITY Computer IBM Compatible VGA, SVGA, XGA, WXGA / WXGA+ /  
UXGA (compressed) MAC16" Composite / S-Video NTSC, PAL, SECAM, PAL-M,  
PAL-N, NTSC4.43 Component video / HDMI video 525i(480i), 525(480p),  
626i(576i),1125i(1080i@50/60), 750p(720p@50/60), 1125p(1080p@50/60)  
FEATURES Speaker 16W x 1 (mono) Image Picture modes (DICOM simulation,  
photo), HDCR (High Dynamic Contrast Range), accentualizer technology, image  
optimizer Audio Standby audio, audio pass through Network Projector  
monitoring (wired LAN), control from a remote location (wired LAN), E-mail  
alerts (wired LAN), mirroring of PC screen (used the LiveViewer soft),  
infrastructure mode (wireless LAN), Simple Access Point (SoftAP), SNMP  
Management (SNMP) Security systems Password/My Screen password, PIN lock,  
key lock Installation Keystone vertical/horizontal, perfect fit (corner fit), perfect  
fit memory Eco ECO-1, ECO-2,intelligent Eco, saver Optional accessories  
support MS-1/MS-1WL control Other Auto altitude mode, altitude (up to

10,000ft), cloning function, easy schedule setting, languages (33) SOFTWARE  
PC software LiveViewer for Win (ver.6.21), LiveViewer for Mac (ver. 1.02.1024),  
Projector Management Application (ver.7.18), Projector Control Application  
(ver.4.13), Projector Image Tool (ver.3.2), Projector Messenger Tool (ver.1.5)  
Smart device apps Projector Quick Connection (for iOS & Android)